REMARKS

By the present Amendment, the specification has been amended to expressly recite material that was incorporated by reference in the captioned application at the time of filing. Support for the amendments to the specification are found for example at column 13, lines 52-60 of U.S. Patent No. 5,608,144; at column 15, lines 42-51 of U.S. Patent No. 4,563,517; at page 64, lines 9-15 of U.S. Application No. 60/111,990 and U.S. Application No. 09/459,109; and at page 63, lines 9-15 of U.S. Application No. 09/459,110, all of which documents were incorporated by reference in their entireties at the time of filing. No new matter enters by these amendments.

Claims 2, 12, 14, 19-21, 26 and 60-64 are currently amended and new claims 65-78 are added. Claims 24 and 25 have been cancelled without prejudice or disclaimer of the underlying subject matter. Applicants note that their previous Amendment and Response to Office Action filed August 21, 2008 and their previous Supplemental Amendment and Response filed August 26, 2008 included new claim 64, which Applicants respectfully note was not addressed in the Office Action mailed October 3. Claims 1, 3-5, 7-11, 15-18, 22-23 and 27-59 remain cancelled. Claims 6 and 13 are original. Support for the present amendments may be found, for example, in the original claims, sequence listing and specification, for example at page 2, line 22-24 and page 4, lines 2-4. No new matter enters by these amendments.

I. Request for Continued Examination

Applicants thank the Office for the acknowledgment that "the finality of the previous Office action has been withdrawn" and "Applicant's submission filed on 8/26/2008 has been entered." Office Action at page 2.

II. Election of Species

Applicants note the Office's comments regarding Applicants' election with traverse of plant cells in a Response to Restriction Requirement filed April 20, 2007. Claims 19-21, 25-26, and 62-64 have been amended to recite "transformed plant cell." See e.g., Claim 19.

III. Rejection under 35 U.S.C. § 112, 2nd paragraph

Claims 2, 6, 12-14, 19-21, 24-26, and 60-63 were rejected under 35 U.S.C. § 112 as allegedly being indefinite. Office Action at page 3. The Office argues that "[i]t is vague and indefinite what is meant by the phrase 'comprising from about 30 to 300. The phrase typically indicates a minimum point. The phrase, however, is contraverted by the term 'about' which implies that values above and below 30 nucleotides are permitted." Office Action at pages 3-4. Applicants respectfully disagree with the Office's argument.

The legal standard for indefiniteness under 35 U.S.C § 112, second paragraph, is whether a claim reasonably apprises those of skill in the art of its scope. See, Amgen Inc. v. Chugai Pharm.

Co., 927 F.2d 1200, 1217, 18 USPQ2d 1016, 1030 (Fed. Cir. 1991). In Amgen, the court "caution[ed] that our holding that the term "about" renders indefinite claims 4 and 6 should not be understood as ruling out any and all uses of this term in patent claims. It may be acceptable in appropriate fact situations, e.g., W.L. Gore & Assocs., Inc. v. Garlock, Inc., 721 F.2d 1540, 1557, 220 USPQ 303, 316 (Fed.Cir.1983) ("use of 'stretching ... at a rate exceeding about 10% per second' in the claims is not indefinite")." (emphasis added) Amgen Inc. v. Chugai Pharm. Co., 927 F.2d 1200 at 1217.

"The definiteness inquiry focuses on whether those skilled in the art would understand the scope of the claim when the claim is read in light of the rest of the specification." *Union Pacific Resources Co. v. Chesapeake Energy Corp.*, 236 F.3d 684, 692 (Fed. Cir. 2001). In contrast to the facts in *Amgen*, where the referenced measurement was imprecise, Applicants' specification provides for a precision and specificity adequate to guide one of skill in the art regarding the meaning of the phrase "at least about" as used to modify a given number of nucleotide residues. As such, this phrase would be readily understood by the skilled artisan, and the rejection under 35 USC 112, 2nd Paragraph, Indefiniteness, should be withdrawn.

IV. Rejections Under 35 U.S.C. § 101

Claims 2, 6, 12-14, 19-21, 24-26 and 60-61 were rejected under 35 U.S.C. § 101 as allegedly "not supported by either a credible asserted utility or a well established utility." Office Action at page 4. Applicants respectfully disagree with this allegation.

Claim 2 recites, *inter alia*, "[a] substantially purified nucleic acid molecule... comprising at least about 100 nucleotide residues of the nucleic acid sequence of SEQ ID NO: 5272...."

Although the Office has acknowledged that according to the specification "...the claimed nucleic acids can be used to determine transcriptional profiling..." and "...can be use for mapping studies, linkage analysis, constructing transgenic plants, and screening for traits or screening for polymorphisms...", the Office argues that "[t]he instant specification does not contemplate the specific use of SEQ ID No. 5272...." See e.g., Office Action mailed March 18, 2008 at page 7 and Office Action at page 11. The Office further argues that "...at the time of filing ... there had been no contemplation of a specific useful trait for SEQ ID No. 5272." Office Action at page 11.

Applicants respectfully disagree with the Office's arguments. Applicants' specification recites that identified sequences, which necessarily include for example SEQ ID NO: 5272, can act as regulatory elements and as genes. See e.g., page 1, lines 19-26. Applicants' specification also notes the use of identified sequences to alter yield. See e.g., page 2, lines 17-21. Applicants respectfully point out that the Office must accept these stated utilities in the absence of evidence or sound scientific reasoning to rebut Applicants' assertion. In re Oetiker, 977 F.2d 1443, 1445 (Fed. Cir. 1992). Moreover, the present application has been awarded priority to U.S. Provisional Application 60/155,422, filed September 23, 1999 ("the '422 application), which was incorporated by reference in its entirety at the time of filing the present application. This '422 priority application identifies SEQ ID NO: 5272 (which is referred to as SEQ ID NO: 9911 in the '422 application) as a COL2 gene. See e.g., Attachment D.¹

Furthermore, as of the September 23, 1999 priority date of the captioned application, those skilled in the art were well aware that COL2 referred to a "CONSTANS-like" gene and showed significant homology to CONSTANS, where CONSTANS had been identified as a putative zinc finger transcription factor affecting growth, namely, flowering. *See e.g.*, Putterill, J. *et al.*, Cell 80:847-857 (1995) and Ledger, S.E. *et al.*, PGR 96-081 112:862 (1996). As such, it is respectfully submitted that Applicants had established a specific, substantial, and credible utility for SEQ ID NO: 5272 at the time of filing.

The Office asserts that "SEQ ID No. 9911 is listed as being 34% identical to COL2.

¹ Attachment D contains information excerpted from priority application 60/155,422. For the convenience of the Office, the column headers that appear at the beginning of the table from which Attachment D was excerpted have been carried over from the first page of the table where they appear and added to this Attachment.

Neither the instant specification nor the provisional specification provides any information about which nucleotides are similar between SEQ ID No. 5272 and COL2." Office Action at pages 13-14. The Office also argues that neither the captioned application nor the provisional priority application "provide any information ... rather (sic.) SEQ ID No. 5272 and COL2 share similar nucleotides at the putative zinc finger transcription site." Office Action at page 14. However, as shown by the attached alignment, G1988² and COL2 share greater than 44% homology at the protein level within the zinc finger domain. See Attachment F.

In the meantime, since filing their application, Applicants have also provided additional evidence further demonstrating that specific and substantial utilities of SEQ ID NO: 5272, as recited at the time of filing the '422 priority application, are indeed accurate. For example, U.S. Patent Publication 2008/0010703 evidences the fact that the specific and substantial utilities stated in Applicants' specification as filed and in the '422 priority application are indeed utilities of SEQ ID NO: 5272. See e.g., US 2008/0010703.

As detailed in U.S. Patent Publication 2008/0010703, G1988 is a nucleic acid sequence that differs by a single nucleotide from the corresponding region of SEQ ID NO: 5272. See e.g., Attachment E. However, this nucleotide difference does not alter the encoded protein (i.e., is a silent nucleotide change). As such, G1988 encodes the identical protein as the corresponding region of SEQ ID NO: 5272. See id. G1988 has been demonstrated to increase yield in plants in field trials conducted in 3 different years. See e.g., US 2008/0010703 at Figure 6 and Tables 12

² As detailed in U.S. Patent Publication 2008/0010703, G1988 is a nucleic acid sequence that differs by a single nucleotide from the corresponding region of SEQ ID NO: 5272. This single nucleotide difference does not alter the

and 13. Indeed, co-pending U.S. Application No. 11/821,448 evidences "significantly increased yield...." US 2008/0010703 A1 at paragraph [0037].

The Office argues that "though SEQ ID NO. 5272 might have a use after filing by the further experimentation of G1988; this use was not specifically contemplated in the instant specification." Office Action at page 14. Applicants disagree. As noted previously, the '422 priority application identifies SEQ ID NO: 5272 (which is referred to as SEQ ID NO: 9911 in the '422 application) as a COL2 gene, and those skilled in the art at the time of filing were well aware that COL2 referred to a "CONSTANS-like" gene, which showed significant homology to CONSTANS, where CONSTANS had been identified as a putative zinc finger transcription factor affecting growth, namely, flowering. Applicants provided a specific and substantial utility for SEQ ID NO: 5272 at the time of filing.

Furthermore, not only did Applicants provide a specific and substantial utility for SEQ ID NO: 5272 at the time of filing as previously discussed, but also in the meantime Applicants have provided evidence that the utilities they provided were indeed accurate. Accordingly, Applicants respectfully note that reference to U.S. Patent Publication 2008/0010703 provides post-filing evidence to support utilities properly asserted by Applicants at the time of filing.

On the basis of the foregoing, Applicants respectfully submit that the claimed nucleotide sequence has utilities specific to it, and not simply general utilities applicable to any nucleic acid.

These specific and substantial utilities were provided by Applicants at the time of filing and

satisfy the requirements of 35 U.S.C. § 101. Moreover, in the meantime, US 2008/0010703 has provided additional evidence demonstrating the accuracy of Applicants' previously asserted utilities.

Based on the foregoing, Applicants respectfully submit that the present application fulfills the legal requirements of 35 U.S.C. § 101, Utility. As such, Applicants request withdrawal of the utility rejection.

V. Rejection under 35 U.S.C. § 112, Enablement

Claims 2, 6, 12-14, 19-21, 24-26 and 60-61 were rejected under 35 U.S.C. § 112, first paragraph, as not being enabled by the specification, because the claimed invention allegedly lacks utility (*i.e.*, an invention with no utility cannot be enabled). Applicants respectfully traverse this rejection, and note that this rejection has been overcome by the foregoing arguments regarding utility. As such, reconsideration and withdrawal of the enablement rejection under 35 U.S.C. § 112, first paragraph is respectfully requested.

VI. Rejections Under 35 U.S.C. § 102, Novelty

a. 102(e) Moyer et al. U.S. Publication No. 2005/0014263

Claims 2 and 60-61 were rejected under 35 U.S.C. § 102(e) as allegedly being anticipated by Moyer *et al.* (US Patent Application Publication US2005/0014263 1/20/2005 filing date of 5/29/1998)." Office Action at page 16. Applicants respectfully traverse this rejection.

According to the Office "the phrase 'about 30 to 200 nucleotide residues...' can be interpreted broadly to encompass any sequence which has at least 30 nucleotides in common..."

Office Action at page 16. Applicants respectfully draw the attention of the Office to Claims 2 and 60-61, which have been amended to recite for example, "comprising at least about 100 contiguous nucleotide residues...." See e.g., Claim 2. Accordingly, the Office's rejection of Claims 2 and 60-61 under 35 U.S.C. § 102(e) over Moyer et al. has been rendered moot, and withdrawal of this rejection is respectfully requested.

b. 102(b) GenBank Accession No. N37270

Claims 2 and 60-61 were rejected under 35 U.S.C. § 102(b) as allegedly being anticipated by GenBank Accession No. N37270. Applicants respectfully draw the attention of the Office to claims 2 and 60-61, which recite for example, "comprising at least about 100 contiguous nucleotide residues...." See e.g., Claim 2. Accordingly, Applicants respectfully submit that the presently pending claims cannot be anticipated by N37270, and Applicants request withdrawal of the Office's rejection under 35 U.S.C § 102(b).

CONCLUSION

In view of the foregoing amendments and remarks, Applicants respectfully submit that the present application is now in condition for allowance, and respectfully request notice of such. The Examiner is encouraged to contact the undersigned at 202-942-5325 if any additional information is necessary for allowance.

Respectfully submitted,

Date: April 2, 2009

David R. Marsh (Reg. No. 41,408) Lisa A. Adelson (Reg. No. 51,204)

Arnold & Porter LLP 555 Twelfth Street, N.W. Attn: IP Docketing Washington, DC 20004

Telephone: 202-942-5000 Facsimile: 202-942-5999

ATTACHMENT D

| Hit Description | (AL049640) putative protein [Arabidopsis thaliana] (AC006532) hypothetical protein [Arabidopsis thaliana] PUTATIVE ATP-DEPENDENT RNA HELICASE T26G10.1 | IN CHROMOSOME III [] (AB015315) MAP kinase kinase 4 [Arabidopsis thaliana] (AF058914) similar to reverse transcriptase (Pfam: | transcript_fact.hmm, score: 72.31) [Arabidopsis thaliana] (AL049746) ABC transporter-like protein [Arabidopsis | thalianaj (AC005223) 64111 [Arabidopsis thaliana] (AC006446) putative Athila retroelement ORF1 protein | [Arabidopsis thaliana] (AF077407) No definition line found [Arabidopsis thaliana] (AC003040) putative serine/threonine protein kinase | [Arabidopsis thaliana] | (Z97342) hypothetical protein [Arabidopsis thaliana] | (AC0052/5) hypothetical protein [Arabidopsis thaliana] (AF081067) IAA-Ala hydrolase: IAA-amino acid hydrolase | [Arabidopsis thaliana] (AC005310) putative zinc transporter [Arabidopsis thaliana] | (AC007153) 55420 [Arabidopsis thaliana] | (AC006223) putative disease resistance protein [Arabidopsis | thallanaj (AC005314) putative DNA binding factor [Arabidopsis | thaliana] (Z97340) hypothetical protein [Arabidopsis thaliana] | (AF069299) No definition line found [Arabidopsis thaliana] | (AC006918) putative Athila retroelement ORF1 protein | [Arabidopsis thaliana] (AC006248) putative reverse transcriptase Tal-1 [Arabidopsis | thaliana | (ACO00392) putative reverse transcriptase [Arabidopsis thaliana] | (AJ002685) Phosphatidylinositol 4-kinase [Arabidopsis | thalianaj (AF027408) phospholipase D-gamma; PLD-gamma | [Arabidopsis thaliana] | (ALOZ1011) putative protein [Arabidopsis utaliana] (ALO21811) hymothetical protein [Arabidopsis thaliana] | (AL021811) hypothetical protein [Arabidopsis thaliana] | (AC006920) putative reverse transcriptase [Arabidopsis | thaliana] (ACO06304) nutative reverse transcrintase [Arahidonsis | (Account) puranty reverse managinate (Arabidopsis thaliana) | (AC002387) putative pectinesterase [Arabidopsis thaliana] (AC005489) F14N23.18 [Arabidopsis thaliana] |
|------------------|--|---|--|--|---|--------------------------------|--|--|--|---|---|---|--|--|--|---|---------------|--|---|--|------------------------|--|--|--|---|---|---|
| %Cvrg | 38 51 21 | 98 | 22 | 12 | 7 | 23 | | , œ | 001 | 15 | 71 | 16 | 66 | 100 | 100 | 4 | ζ | 7 | 91 | 13 | 36 | 35 | 21 | 13 | 14 | <u>:</u> | 100 45 |
| %Ident | 37 94 52 | 43 | 11 | 81 | 84 | | | 8 3 | 69 | 99 | 47 | 75 | 100 | 82 | 80 | 74 | 37 | 6 | 26 | % | 9 | 66 | . * | 42 | 30 | ì | 52 77 |
| Blast pvalue | 1.3e-10 3.0e-87 1.1e-24 | 7.2e-54 1.2e-17 | 5.7e-61 | 4.7e-47 3.2e-31 | 4.3e-13 6.5e-298 | 2.50-11 | | 1.1e-16 2.7e-79 | 8.16-129 | 9.6e-13 | 2.8e-36 | 9.3e-77 | 1.9e-44 | 1.6e-219 | 2.6e-184 | 3.0e-63 | 1, 1, | 7.16-31 | 6.8e-62 | 7.2e-48 | 7 10 100 | 2.15-160 1 \$e_23 | 6.3e-12 | 2.1e-41 | 2 50-17 | 1200 | 2.3e-137 9.0e-111 |
| Blast Score | 150 872 286 | 557 227 | 624 | 505 344 | 184 2860 | 191 | 361 | 077 | 675 | 177 | 391 | 773 | 468 | 2068 | 1788 | 655 | 345 | £ | <u>\$</u> | 207 | 1761 | 271 | 169 | 454 | 223 | ì | 1345 1094 |
| AAT nap Score | 159 873 214 | 409 | 458 | 704 457 | 258 3325 | 83 | 349 | 521 727 | 1338 | 126 | 377 | 932 | 468 | 1982 | 2152 | 969 | 757 | 1 . | 882 | 491 | 3771 | 228 | 137 | 351 | 119 | : | 1164 |
| Hit Id | g4586265 g4406785 g465975 | g3219271 g3047086 | g4741194 | g4204269 g4417310 | g3319352 g3242708 | \$1507699 | g2245058 | g4202138 g3421384 | g3510254 | g4836911 | g4263705 | g3608135 | g2244958 | g3193321 | g4567296 | g4335720 | 24544460 | 0011100 | g4467359 | g2653885 | 07864673 | 92864620 | g2864621 | g4544372 | 94406792 | 4 | g2583131 g4914332 |
| Position | 291-1 1203-686 1-406 | 1-1761 678-522 | 762-1 | 888-408 306-1000 | 816-1000 109-2289 | 3172-1136 | 468-225 | 1-658 | 568-1698 | 1972-2165 | 162-672 | 2025-1 | 393-653 | 2925-1267 | 1213-2993 | 520-1 | 1 406 | 0 | 729-199 | 491-1 | 1742-1 | 547-2215 | 2521-3748 | 1332-3748 | 2658-3748 | | 1824-3724 859-1 |
| Gene Id | ATL80n11837 ATL80n11838 ATL80n11839 | ATL80n11840 ATL80n11841 | ATL80n11842 | ATL80n11843 ATL80n11844 | ATL80n11845 ATL80n11846 | ATL80n11847 3172-1136 g1507699 | ATL80n11848 | ATL80n11850 | ATL80n11851 | ATL80n11852 | ATL80n11853 | ATL80n11854 | ATL80n11855 | ATL80n11856 | ATL80n11857 | ATL80n11858 | ATI 80s 11850 | A1 L001111039 | ATL8On11860 | ATL80n11861 | ATI 80n11862 | ATL80n11863 | ATL80n11864 | ATL80n11865 | ATL80n11866 | | ATL80n11867 ATL80n11868 |
| Contig Id | ATL8C11158 ATL8C6899 ATL8C11157 | ATL8C6893 ATL8C28545 | ATL8C28548 | ATL8C28549 ATL8C28547 | ATL8C28547 ATL8C28544 | ATL8C44589 | ATL8C44586 | ATL8C44587 | ATL8C11164 | ATL8C11164 | A1L8C11162 | ATL8C11165 | ATL8C11167 | ATL8C11166 | ATL8C11169 | ATL8C28550 | ATI 8011168 | VI 1500 11100 | ATL8C28551 | ATL8C28553 | ATI 8C28554 | ATL8C28554 | ATL8C28554 | ATL8C28554 | ATL8C28554 | | ATL8C44591 ATL8C28555 |
| Seq_Num | 9902 | 9066 | 2066 | 8066 | 6066 6066 | 9911 | 9912 | 9914 | 9915 | 9915 | 9166 | 2166 | 8166 | 9919 | 9920 | 9921 | 0000 | 77// | 9923 | 9924 | 9025 | 9925 | 9925 | 9925 | 9925 | | 9926 9927 |

ATTACHMENT E

>nucleotides 2536 to 3210 of SEQ ID NO: 5272

>G1988 in US 2008/0010703 (hereinafter "Publ")

| Reverse complement of nucleotides 2536 to 3210 of SEQ ID NO: 5272 ATGGTGAGCTTTTGCGAGCTTTGTGGTGCCGAAGCTGATCTCCATTGTGCCGCGGACTCTCCTCT G1988inPubl | 70 |
|--|-----|
| ATGGTGAGCTTTTGCGAGCTTTGTGGTGCCGAAGCTGATCTCCATTGTGCCGCGGACTCTGCCTTCCTCT | 70 |
| Consensus | |
| ATGGTGAGCTTTTGCGAGCTTTGTGGTGCCGAAGCTGATCTCCATTGTGCCGCGGACTCTGCCTTCCTCT | 70 |
| Reverse complement of nucleotides 2536 to 3210 of SEQ ID NO: 5272 | |
| GCCGTTCTTGTGACGCTAAGTTCCATGCCTCAAATTTTCTCTTCGCTCGTCATTTCCGGCGTGTCATTTG G1988inPubl | 140 |
| GCCGTTCTTGTGACGCTAAGTTCCATGCCTCAAATTTTCTCTTCGCTCGTCATTTCCGGCGTGTCATCTG | 140 |

Consensus

GCCGTTCTTGTGACGCTAAGTTCCATGCCTCAAATTTTCTCTTCGCTCGTCATTTCCGGCGTGTCATCTG 1

Reverse complement of nucleotides 2536 to 3210 of SEQ ID NO: 5272 CCCAAATTGCAAATCTCTTACTCAAAATTTCGTTTCTGGTCCTCTTCTTCCTTGGCCTCCACGAACAACA 210

| G1988inPubl CCCAAATTGCAAATCTCTTACTCAAAATTTCGTTTCTGGTCCTCTTCTTCCTTGGCCTCCACGAACAACA | 210 |
|---|-----|
| Consensus CCCAAATTGCAAATCTCTTACTCAAAATTTCGTTTCTGGTCCTCTTCTTCCTTGGCCTCCACGAACAACA | 210 |
| Reverse complement of nucleotides 2536 to 3210 of SEQ ID NO: 5272 TGTTGTTCAGAATCGTCGTCTTCTTGCTGCTCGTCTCTTGACTGTGTCTCAAGCTCCGAGCTATCGT | 280 |
| G1988inPubl TGTTGTTCAGAATCGTCGTCTTCTTGCTGCTCGTCTCTTGACTGTGTCTCAAGCTCCGAGCTATCGT | 280 |
| Consensus TGTTGTTCAGAATCGTCGTCTTCTTGCTGCTCGTCTCTTGACTGTGTCTCAAGCTCCGAGCTATCGT | 280 |
| Reverse complement of nucleotides 2536 to 3210 of SEQ ID NO: 5272 CAACGACGCGTGACGTAAACAGAGCGCGAGGGAGGGAAAACAGAGTGAATGCCAAGGCCGTTGCGGTTAC C1000inPubl | 350 |
| G1988inPubl CAACGACGCGTGACGTAAACAGAGCGCGAGGGAGGGAAAACAGAGTGAATGCCAAGGCCGTTGCGGTTAC | 350 |
| Consensus CAACGACGCGTGACGTAAACAGAGCGCGAGGGAGGGGAAAACAGAGTGAATGCCAAGGCCGTTGCGGTTAC | 350 |
| Reverse complement of nucleotides 2536 to 3210 of SEQ ID NO: 5272 GGTGGCGGATGGCATTTTGTAAATTGGTGTGGTAAGTTAGGACTAAACAGGGATTTAACAAACGCTGTC G1988inPubl | 420 |
| GGTGGCGGATGGCATTTTTGTAAATTGGTGTGGTAAGTTAGGACTAAACAGGGATTTAACAAACGCTGTC | 420 |
| Consensus GGTGGCGGATGGCATTTTTGTAAATTGGTGTGGTAAGTTAGGACTAAACAGGGATTTAACAAACGCTGTC | 420 |
| Reverse complement of nucleotides 2536 to 3210 of SEQ ID NO: 5272 GTTCATATGCGTCTTTGGCTTTGGCTGTGGAGACGAGGCCAAGAGCGACGAAGAGAGTGTTCTTAGCGG G1988inPubl | 490 |
| GTTTCATATGCGTCTTTGGCTTTGGCTGTGGAGACGAGGCCAAGAGCGACGAAGAGAGTGTTCTTAGCGG | 490 |
| Consensus GTTTCATATGCGTCTTTGGCTTTGGCTGTGGAGACGAGGCCAAGAGCGACGAAGAGAGTGTTCTTAGCGG | 490 |
| Reverse complement of nucleotides 2536 to 3210 of SEQ ID NO: 5272 CGGCGTTTTGGTTCGGCGTTAAGAACACGACGACGACGTGGCAGAATTTAAAGAAAG | 560 |
| G1988inPubl CGGCGTTTTGGTTCGGCGTTAAGAACACGACGACGTGGCAGAATTTAAAGAAAG | 560 |
| Consensus CGGCGTTTTGGTTCGGCGTTAAGAACACGACGACGTGGCAGAATTTAAAGAAAG | 560 |
| Reverse complement of nucleotides 2536 to 3210 of SEQ ID NO: 5272 AGTTTCAGCTGGGATGATTCGAGCGGTTGAAAGCAAATTGGCGCGTGCAATGACGCAGCAGCTTAGACGG | 630 |
| G1988inPubl AGTTTCAGCTGGGATGATTCGAGCGGTTGAAAGCAAATTGGCGCGTGCAATGACGCAGCAGCTTAGACGG | 630 |

| _ | | | | | |
|---------------|----|---|----|----|----|
| $\overline{}$ | ^- | • | en | ~~ | 10 |
| | | | | | |

AGTTTCAGCTGGGATGATTCGAGCGGTTGAAAGCAAATTGGCGCGTGCAATGACGCAGCAGCTTAGACGG 630

Reverse complement of nucleotides 2536 to 3210 of SEQ ID NO: 5272

TGGCGCGTGGATTCGGAGGAAGGATGGGCTGAAAACGACAACGTT--- 675

G1988inPubl

TGGCGCGTGGATTCGGAGGAAGGATGGGCTGAAAACGACAACGTTTGA 678

Consensus

TGGCGCGTGGATTCGGAGGAAGGATGGGCTGAAAACGACAACGTTtga 678

> Protein Sequence encoded by Reverse complement of nucleotides 2536 to 3210 of SEQ ID NO: 5272 (hereinafter "Prot Seq 5272 RC")

MVSFCELCGAEADLHCAADSAFLCRSCDAKFHASNFLFARHFRRVICPNCKSLTQNFVSG

PLLPWPPRTTCCSESSSSSCCSSLDCVSSSELSSTTRDVNRARGRENRVNAKAVAVTVAD

GIFVNWCGKLGLNRDLTNAVVSYASLALAVETRPRATKRVFLAAAFWFGVKNTTTWQNLK

KVEDVTGVSAGMIRAVESKLARAMTQQLRRWRVDSEEGWAENDNV

>Protein Sequence G1988 in Publ
MVSFCELCGAEADLHCAADSAFLCRSCDAKFHASNFLFARHFRRVICPNCKSLTQNFVSG
PLLPWPPRTTCCSESSSSSCCSSLDCVSSSELSSTTRDVNRARGRENRVNAKAVAVTVAD
GIFVNWCGKLGLNRDLTNAVVSYASLALAVETRPRATKRVFLAAAFWFGVKNTTTWQNLK
KVEDVTGVSAGMIRAVESKLARAMTQQLRRWRVDSEEGWAENDNV*

| Prot Seq 5272 RC MVSFCELCGAEADLHCAADSAFLCRSCDAKFHASNFLFARHFRRVICPNCKSLTQNFVSGPLLPWPPRTT Protein Sequence G1988 in Publ | 70 |
|---|------------|
| MVSFCELCGAEADLHCAADSAFLCRSCDAKFHASNFLFARHFRRVICPNCKSLTQNFVSGPLLPWPPRTT | 70 |
| Consensus MVSFCELCGAEADLHCAADSAFLCRSCDAKFHASNFLFARHFRRVICPNCKSLTQNFVSGPLLPWPPRTT | 70 |
| Prot Seq 5272 RC CCSESSSSCCSSLDCVSSSELSSTTRDVNRARGRENRVNAKAVAVTVADGIFVNWCGKLGLNRDLTNAV Protein Sequence G1988 in Publ CCSESSSSSCCSSLDCVSSSELSSTTRDVNRARGRENRVNAKAVAVTVADGIFVNWCGKLGLNRDLTNAV | 140 140 |
| Consensus CCSESSSSSCCSSLDCVSSSELSSTTRDVNRARGRENRVNAKAVAVTVADGIFVNWCGKLGLNRDLTNAV | 140 |
| Prot Seq 5272 RC VSYASLALAVETRPRATKRVFLAAAFWFGVKNTTTWQNLKKVEDVTGVSAGMIRAVESKLARAMTQQLRR | 210 |
| Protein Sequence G1988 in Publ VSYASLALAVETRPRATKRVFLAAAFWFGVKHTTTWQNLKKVEDVTGVSAGMIRAVESKLARAMTQQLRR | 210 |

VSYASLALAVETRPRATKRVFLAAAFWFGVKNTTTWQNLKKVEDVTGVSAGMIRAVESKLARAMTQQLRR 210

Prot Seq 5272 RC WRVDSEEGWAENDNV 225

Consensus

Consensus

WRVDSEEGWAENDNV 225

ATTACHMENT F

| OS EGAPAAFL 70 DY KILTONFV 58 | IDEDD EMASWLLIPNPEKN 139 | ■·······■·· 140 QSQQNFQ MGINY 209 RATKRVF MAARF 166 | OVVQQLTPMERE 279 | | 348 |
|---|---|---|--|--|-----------|
| MLKEESNESGTWARA DT RSAACTVYCEADSAYL TI DARVHAANRVASRHERVRV OS EGAPAAFL MVSF EL G-ADADLECARDSARY RS DAYCHASNRYBARHERRVI DN KELTONFV | CKADAASLCTACDAEIHSAN PEARRHONDILPLEAN-BCSEMAPSETDADNDEDD ESTASWLLPNPEKNSG PELPWPP TTCCSEESSECCESLDCVSSSELSSTT | IGNQNNGFLFG WEYLDL製DYSSSMDNQFEDNQYTHYQ SFGGDGWVPLQVEESTSHLQQSQQNFQ 整GINY NRVNAKAVAVT MADGIF WWCGKLGLIN DLTNAV SYASLALAVETRPRATKRVF MAAAF | G FSSGAHYNNNS & DLNHSAS & SWEST & SDIE WORTH TIKETIDQLSGPPTQVVQQLTPMERE W FGVKNTTIWQN & KVEDVTG & AGM & RAKESKL RRAM O BLR WRVDSEEGWAENDNV | ARVLRYREKKKTRKFDKTIRYASRKAYAEIRPRIKGRFAKRIETEAEAEEIFSTSLMSETGYGIVPSF | |
| COL2 G1988 | Consensus COL2 G1988 | Consensus COL2 G1988 | Consensus COL2 G1988 | Consensus COL2 G1988 | Consensus |

Matrix of pairwise sequence identities

Color codes for percent identity: ≥0 ≥43 ≥60 ≥74 ≥85 ≥25

| Sednence | | 7 |
|----------|--|-----------|
| 1 COL2 | The second of th | 14.1 (49) |
| 2 G1988 | 21.8 (49) | - |

Alignment created by abc_Aligner (A. Boukharov, Monsanto Bioinformatics, 2005)